

June 10

Work Order ID 59138



Wednesday, May 26, 2010 1:55:32 PM

Page 1

Item ID: D4038-4

Accept



Setup Start



Revision ID:

Item Name: Angle, Aft, RH

Stop



Start Date: 5/26/2010 Start Qty: 2.00



Cust Item ID:

Required Date: 6/4/2010 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan:

[Signature]

Date: 10-5-26

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4038	B								

100

0.00



Bandsaw

0.00

Jeaspa Bandsaw

Memo

Cut Blank 7.125" long

Cut Blank 7.625" long

[Signature]
10/06/03

2 0

110

0.00



HAAS 1

0.00

HAAS CNC vertical machine #1

Memo

Mill as per Dwg & Folio FA880

Dwg Rev:

Folio Rev: 3A

Deburr

[Signature]
10/06/03

2 1

W/O: 59/38		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
10/06/03	100	Change Memo for: Cut blank 7.625" long perm change	DJP	10/06/03		<i>[Signature]</i> 10-06-04	<i>[Signature]</i> 10-06-04

Part No: 4038-4 PAR #: _____ Fault Category: Machining NCR: ☒ Yes No DQA: [Signature] Date: 10/06/03
 Resolution: Scrap Disposition: Scrap QA: N/C Closed: [Signature] Date: 10/06/08

NCR: 59/38		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
10/06/03	110	First part Scrap Wrong info in folio Origine at wrong place R.C. Program error.	<i>[Signature]</i> 10/06/03	Modified folio program Scrap and replace Bk# <u>114507</u>	<i>[Signature]</i> 10/06/03	SL 10/06/03	<i>[Signature]</i> 10/06/04	<i>[Signature]</i> 10/06/04

NOTE: Date & initial all entries

Work Order ID 59138

Wednesday, May 26, 2010 1:55:32 PM

Page 2

Item ID: D4038-4

Accept

Revision ID:

Item Name: Angle, Aft, RH

Start Date: 5/26/2010 Start Qty: 2.00

Required Date: 6/4/2010 Req'd Qty: 2.00

Reference:

Cust Item ID:

Customer:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC2- Inspect parts off machine FAI/FAIB

0.00

QC

Memo

0.00

Quality Control

130

QC8- Inspect parts - second check

0.00

QC

Memo

0.00

Quality Control

140

Chemical Conversion Coat per QS1005 4.1

0.00

HandFinish

Memo

0.00

Hand Finishing

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 59138

Wednesday, May 26, 2010 1:55:32 PM

Page 3

Item ID: D4038-4

Accept

Revision ID:

Item Name: Angle, Aft, RH

Start Date: 5/26/2010 Start Qty: 2.00

Required Date: 6/4/2010 Req'd Qty: 2.00

Reference:

Cust Item ID:

Customer:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Run Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

10/06/07

X2 0

Quality Control

160

Identify as per dwg & Stock Location: B59134

0.00



Packaging

Memo

0.00

Packaging

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/06/08

pl 10-6-08
(2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, May 26, 2010 1:55:37 PM

Page 1

Work Order ID: 59138



Parent Item: D4038-4



Parent Item Name: Angle, Aft, RH

Start Date: 5/26/2010

Required Date: 6/4/2010

Comments: Ipp Rev:A New Issue 09-12-15 JLM Verified By:EC

Start Qty: 2.00

Required Qty: 2.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6A4.000W.250		Purchased	No			100	f	20.1684	0.7	1.473684			



6061T6 ANGLE 4.00 x 4.00 x .250



Location	Loc Qty	Loc Code
MAT	20	
114407	20	
MAT06	0.1684	
113391	0.1684	

ISIT
10/06/03

M 114507

1,1875(f)
+
0,5938(f)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 59138
Description: Angle, AFT, RH		Part Number: 4038-4
Inspection Dwg: 4048-4 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
4,00	$\pm 0,030$	3,991	✓			2PL REF
1,25	$\pm 0,030$	1,238	✓			REF
1,25	$\pm 0,030$	1,25	✓			REF
0,250	$\pm 0,010$	0,240	✓			REF
R 1,00	$\pm 0,030$	1,00	✓			
0,50	$\pm 0,030$	0,499	✓			REF
1,750	$\pm 0,010$	1,748	✓			
1,270	$\pm 0,010$	1,268	✓			
0,714	$\pm 0,010$	0,712	✓			
2,125	$\pm 0,010$	2,122	✓			
$\phi 0,316$	$+0,006/-0,001$	0,319	✓			6 PL
0,581	$\pm 0,010$	0,571	✓			
1,500	$\pm 0,010$	1,500	✓			
0,70	$\pm 0,030$	0,70	✓			
$\phi 0,189$	$+0,005/-0,001$	0,193	✓			2PL
2,00	$\pm 0,030$	2,00	✓			
7,50	$\pm 0,030$	7,50	✓			

Measured by: DJP	Audited by: OML	Prototype Approval:	N/A
Date: 10/06/03	Date: 10/06/07	Date:	N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	


ITEM NO.	QTY. -041	QTY. -042	PART NUMBER	DESCRIPTION
1	X		D4038-041	ANGLE ASSEMBLY, FWD, LH
2		X	D4038-042	ANGLE ASSEMBLY, FWD, RH
3	1		D4038-1	ANGLE, FWD, LH
4		1	D4038-2	ANGLE, FWD, RH
5	1		D4038-5	BLOCK
6		1	D4038-6	BLOCK
7	1		D4038-9	BLOCK
8		1	D4038-10	BLOCK
9	2	2	AN3-14A	BOLT
10	2	2	MS21042L3	NUT
11	4	4	NAS1149D0363J	WASHER



D4038-041 ANGLE ASSEMBLY, FWD, LH

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: -041 - 1.76 lbs
-042 - 1.74 lbs



D4038-042 ANGLE ASSEMBLY, FWD, RH

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *59138*
RPO-526

RELEASED
2010-04-16
MD

B	REVISED DIMENSIONS ALL SHEETS, ADD .00316 HOLES IN -1/2-2/3-4 PARTS, ADD RADIUS TO -1/2-2/3-4 PARTS	HS	10.01.05
A	NEW ISSUE	HS	09.12.14
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>[Signature]</i>	DRAWING NO. D4038 REV. B	
CHECKED	<i>[Signature]</i>	SHEET 1 OF 14	
MFG. APPR.	<i>[Signature]</i>	TITLE BRACKET SCALE NTS	
APPROVED	<i>[Signature]</i>	DATE 10.01.05	
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM NO.	QTY. -043	QTY. -044	Part Number	DESCRIPTION
1	X		D4038-043	ANGLE ASSEMBLY, AFT, LH
2		X	D4038-044	ANGLE ASSEMBLY, AFT, RH
3	1		D4038-3	ANGLE, AFT, LH
4		1	D4038-4	ANGLE, AFT, RH
5	1		D4038-7	BLOCK
6		1	D4038-8	BLOCK
7	1		D4038-11	BLOCK
8		1	D4038-12	BLOCK
9	2	2	AN3-14A	BOLT
10	2	2	MS21042L3	NUT
11	4	4	NAS1149D0363J	WASHER



D4038-043 ANGLE ASSEMBLY, AFT, LH



D4038-044 ANGLE ASSEMBLY, AFT, RH

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: -043 - 1.91 lbs
-044 - 1.74 lbs

RELEASED
2010-04-16
NM

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4038	SHEET 2 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.01.05	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-1 ANGLE, FWD, LH

NOTES:

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (NEAR SIDE ONLY) TO MAX
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.04 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

RELEASED
R 2010-04-14

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4038	REV. B
MFG. APPR.		TITLE BRACKET	SHEET 3 OF 14
APPROVED		SCALE	NTS
DE APPR.		DATE 10.01.05	

COPYRIGHT © 2009 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-2 ANGLE, FWD, RH

- NOTES:**
- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A4.000XW250
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (FAR SIDE ONLY) TO MAX
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
 - 7) WEIGHT: 1.04 lbs
 - 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4038	REV. B
MFG. APPR.			SHEET 4 OF 14
APPROVED		TITLE BRACKET	SCALE
DE APPR.			NTS
DATE	10.01.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2010-04-11

W/C 5913




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



NOTES:

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (NEAR SIDE ONLY) TO MAX
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.19 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

D4038-3 ANGLE, AFT, LH

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4038	SHEET 5 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.01.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

RELEASED
2010-04-14

W1059138




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-4 ANGLE, AFT, RH

NOTES:

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (FAR SIDE ONLY) TO MAX
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.19 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

RELEASED
2010-04-14

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4038	SHEET 6 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.01.05	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-5 BLOCK

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6511/T62) ALUMINUM BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 0.40 lbs

RELEASED
2010-04-14

W1059135

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4038	SHEET 7 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.01.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries






W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-8 BLOCK

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
 - 7) WEIGHT: 0.39 lbs

RELEASED
2010-04-14

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4038	REV. B
MFG. APPR.			SHEET 10 OF 14
APPROVED		TITLE BRACKET	SCALE
DE APPR.			NTS
DATE	10.01.05	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMBINED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____







NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-9 BLOCK

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
 - 7) WEIGHT: 0.31 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4038	SHEET 11 OF 1
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.01.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
2010-04-14
JMP

W059138


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



RELEASED
R 2010-04-14

W/0 59138

DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4038	SHEET 13 OF 14
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	10.01.05	COPYRIGHT © 2003 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1









D4038-12 BLOCK

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN TO MAX DEPTH
OF 0.010 IN 0.12 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
 - 7) WEIGHT: 0.31 lbs

RELEASED
2010-04-14

w/o serial

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4038	SHEET 14 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	10.01.05	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries